

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/813,171	03/31/2004	Hiroshi Sasaki	05030027AA	4482
30743	7590 06/13/2006		EXAMINER	
WHITHAM, CURTIS & CHRISTOFFERSON & COOK, P.C.			BOATENG, ALE	EXIS ASIEDUA
SUITE 340		ART UNIT	PAPER NUMBER	
RESTON, V	A 20190		2838	

DATE MAILED: 06/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summary	10/813,171	SASAKI, HIROSHI			
omoo nodon odiniidiy	Examiner	Art Unit			
The MAILING DATE of this communication	Alexis Boateng	2838			
Period for Reply	r appears on the cover sneet w	nui uie correspondence address -			
A SHORTENED STATUTORY PERIOD FOR REWHICHEVER IS LONGER, FROM THE MAILIN: - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory provided to reply within the set or extended period for reply will, by some Any reply received by the Office later than three months after the rearned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNI FR 1.136(a). In no event, however, may a n. eriod will apply and will expire SIX (6) MON statute, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 3	31 March 2004.				
2a) ☐ This action is FINAL . 2b) ☑	•				
3) Since this application is in condition for all	plication is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice und	ler <i>Ex parte Quayle</i> , 1935 C.D	D. 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-14</u> is/are pending in the applica	ition				
	4a) Of the above claim(s) is/are withdrawn from consideration.				
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-14</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction at	nd/or election requirement.				
Application Papers					
9) The specification is objected to by the Exar	miner				
10) The drawing(s) filed on 31 March 2004 is/a		jected to by the Examiner			
Applicant may not request that any objection to		• • • • • • • • • • • • • • • • • • •			
Replacement drawing sheet(s) including the co					
11) The oath or declaration is objected to by th	·	•			
·					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for for	eign priority under 35 U.S.C. §	§ 119(a)-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:					
1. Certified copies of the priority docun					
2. Certified copies of the priority docum					
3. Copies of the certified copies of the		received in this National Stage			
application from the International Bu	• • • • • • • • • • • • • • • • • • • •	ivad			
* See the attached detailed Office action for a	, list of the certified copies not	received.			
· · · · · · · · · · · · · · · · · · ·	•				
Attachment(s)					
Notice of References Cited (PTO-892)		Summary (PTO-413)			
 Notice of Draftsperson's Patent Drawing Review (PTO-948 Information Disclosure Statement(s) (PTO-1449 or PTO/SE 	, — —	s)/Mail Date nformal Patent Application (PTO-152)			
Paper No(s)/Mail Date	6) Other:				

L

Art Unit: 2838

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Rahman (U.S. 5,990,664).

Regarding claim 1, Rahman discloses wherein a power source circuit for a cell for controlling transfer of electrical energy form said cell to loads, wherein a device employing said power source circuit is operated in a manner that, when a discharge voltage of said cell becomes lower than an operation lower limit voltage of said device to be operated, a voltage output from said power source circuit for said cell is made higher than said operation lower limit voltage of said device by using a voltage increasing unit (column 5 lines 4 – 26; figure 3b item 2: voltage increasing unit is the boost converter).

3. Claims 3, 5, 6, and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by Kitagawa (U.S. 6,414,403).

Regarding claim 3, Kitagawa discloses wherein a power source for a cell for controlling transfer of electric energy from said cell to loads, said power source circuit comprising:

6),

a cell voltage detecting circuit to detect a voltage of said cell (figure 1 item

a discharge controlling circuit (figure 3 item 25),

an output voltage detecting circuit (figure 1 item 6),

a step-up DC-DC converter (figure 1 item 4),

a switching circuit to switch positive electrode of said cell to either of an output terminal of said power source circuit or an inputting section of said step-up DC-DC converter (figure 1 item 4),

and a power storing section mounted in an outputting section of said power source circuit (figure 3 item C2),

wherein a device employing said power source circuit is operated in a manner that, when a discharge voltage of said cell becomes lower than an operation lower limit voltage of said device to be operated, a voltage output from said power source circuit for said cell is made higher than said operation lower limit voltage of said device by using said step-up DC-DC converter (column 4 lines 32 – 55).

Regarding claim 5 and 8, Kitagawa discloses wherein said power storing section comprises an electric double layer capacitor (figure 3 item C2).

Regarding claim 6, Kitagawa discloses wherein a power source for a cell for controlling transfer of electric energy from said cell to loads, said power source circuit comprising:

Application/Control Number: 10/813,171

Art Unit: 2838

a cell voltage detecting circuit to detect a voltage of said cell (figure 1 item

Page 4

6),

a control circuit (figure 3 item 25),

an output voltage detecting circuit (figure 1 item 6),

a step-up DC-DC converter (figure 1 item 4),

an inductor (figure 3 item L1),

two or more switching circuits (figure 1 item 4),

and a power storing section mounted in an outputting section of said power source circuit (figure 3 item C2),

wherein a device employing said power source circuit is operated in a manner that, when a discharge voltage of said cell becomes lower than an operation lower limit voltage of said device to be operated, a voltage output from said power source circuit for said cell is made higher than said operation lower limit voltage of said device by using said step-up DC-DC converter (column 4 lines 32 – 55).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

⁽a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2838

5. Claims 2, 4, and 6 rejected under 35 U.S.C. 103(a) as being unpatentable over Rahman (U.S. 5,990,664) and Kitagawa (U.S. 6,414,403) in view of Sado (U.S. 5,998,974).

Regarding claims 2, 4, and 6, neither Rahman nor Kitagawa disclose the invention as claimed. Sado discloses in column 17 lines 34 – 60 wherein the voltage drop is used to determine the overdischarge level. At the time of invention, it would have been obvious to a person of ordinary skill in the art to modify the Rahman system with the Sado system so that a more accurate reading of the low level discharge is provided by the battery's internal resistance.

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Saeki (U.S. 2003/0030413) in view of Rahman (U.S. 5,990,664).

Regarding claim 9, Saeki discloses in figure 11, wherein the power source is comprised within case, item 300. Saeki discloses the invention as previously claimed, but does not disclose the remainder. Rahman discloses in column 5 lines 4 – 26; figure 3b item 2 wherein the voltage is increased by a boost converter when the voltage of the battery has discharged to a point below a certain level. At the time of invention, it would have been obvious to a person of ordinary skill in the art to modify the Saeki system with the Rahman system so that when the battery has discharged to a low level, the battery can still provide power to the device.

Application/Control Number: 10/813,171

Art Unit: 2838

7. Claims 10, 12, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Saeki (U.S. 2003/0030413) in view of Rahman (U.S. 5,990,664) as applied to claim 9 above, and in further view of Garstein (U.S. 6,163,131).

Regarding claims 10, 12, and 14 both Saeki and Rahman disclose a secondary battery in figure 3 items E1-2 and in column 2 lines 11 – 21. The two references fail to disclose a primary battery. Garstein discloses in column 3 line 46 – column 4 line 6 wherein a primary (non-rechargeable) battery may be used. At the time of invention, it would have been obvious to a person of ordinary skill in the art to modify the Saeki and Rahman system with the Garstein system so that the application can be used on a wide variety of devices.

8. Claims 11 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitagawa (U.S. 6,414,403) in view of Saeki (U.S. 2003/0030413).

Regarding claim 11, Kitagawa discloses claimed invention except wherein the power source is comprised within the case. Saeki discloses in figure 11, wherein the power source is comprised within case, item 300. Kitagawa discloses wherein a power source for a cell for controlling transfer of electric energy from said cell to loads, said power source circuit comprising a cell voltage detecting circuit to detect a voltage of said cell (figure 1 item 6), a discharge controlling circuit (figure 3 item 25), an output voltage detecting circuit (figure 1 item 6), a step-up DC-DC converter (figure 1 item 4), a switching circuit to switch positive electrode of said cell to either of an output terminal of said power source circuit or an inputting section of said step-up DC-DC converter (figure 1 item 4), and a

Art Unit: 2838

power storing section mounted in an outputting section of said power source circuit (figure 3 item C2), wherein a device employing said power source circuit is operated in a manner that, when a discharge voltage of said cell becomes lower than an operation lower limit voltage of said device to be operated, a voltage output from said power source circuit for said cell is made higher than said operation lower limit voltage of said device by using said step-up DC-DC converter (column 4 lines 32 – 55). At the time of invention, it would have been obvious to a person of ordinary skill in the art to modify the Kitagawa system with the Saeki system so that the battery pack can be protected from damage by the housing.

Page 7

Regarding claim 13, Kitagawa discloses claimed invention except wherein the power source is comprised within the case. Saeki discloses in figure 11, wherein the power source is comprised within case, item 300. Kitagawa discloses wherein a power source for a cell for controlling transfer of electric energy from said cell to loads, said power source circuit comprising a cell voltage detecting circuit to detect a voltage of said cell (figure 1 item 6), a discharge controlling circuit (figure 3 item 25), an output voltage detecting circuit (figure 1 item 6), a step-up DC-DC converter (figure 1 item 4), a switching circuit to switch positive electrode of said cell to either of an output terminal of said power source circuit or an inputting section of said step-up DC-DC converter (figure 1 item 4), an inductor (figure 3 item L1), two or more switching circuits (figure 1 item 4), and a power storing section mounted in an outputting section of said power source

Art Unit: 2838

circuit (figure 3 item C2), wherein a device employing said power source circuit is operated in a manner that, when a discharge voltage of said cell becomes lower than an operation lower limit voltage of said device to be operated, a voltage output from said power source circuit for said cell is made higher than said operation lower limit voltage of said device by using said step-up DC-DC converter (column 4 lines 32 – 55). At the time of invention, it would have been obvious to a person of ordinary skill in the art to modify the Kitagawa system with the Saeki system so that the battery pack can be protected from damage by the housing.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexis Boateng whose telephone number is (571) 272-5979. The examiner can normally be reached on 8:30 am - 6:00 pm, Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl Easthom can be reached on (571) 272-2084. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2838

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AB

KARL EASTHOM SUPERVISORY PATENT EXAMINER